L Number	Hits	Search Text	DB	Time stamp
1	0	5870537.pn. AND network\$3	USPAT;	2004/08/27 14:53
		·	EPO; JPO;	
			DERWENT;	
			IBM TDB	
2	0	5870537.pn. AND Internet	USPAT;	2004/08/27 15:33
-			EPO; JPO;	200 //00/21 10:00
			DERWENT;	
			IBM_TDB	
3	1	("5692155" "5870537" "6360306").pn. AND client\$1	USPAT;	2004/08/27 15:48
	•	( 3332 133	EPO; JPO;	200-7,00727 10.10
			DERWENT:	
			IBM_TDB	
4	5	("5692155" "5870537" "6360306").pn. AND address\$4	USPAT;	2004/08/27 15:58
'	Ĭ	( 0002100 0010001 0000000 ).piii / iii 2 dddi 0004 !	EPO; JPO;	200-7700727 10.00
1			DERWENT;	
			IBM TDB	
5	1	5870537.pn. AND channel\$1	USPAT;	2004/08/27 15:59
	•	oor ooor, prii. ray b onarmory	EPO; JPO;	200 1700727 10.00
			DERWENT;	
			IBM_TDB	
_	30	(database\$1 NEAR1 cache\$1) AND (international AND	USPAT;	2004/04/29 12:22
		business AND machine\$1).as.	EPO; JPO;	2007/07/20 12.22
		business AND machine fl.as.	DERWENT;	
			IBM_TDB	
_	81	(database\$1 NEAR1 cache\$1) AND 707/\$.ccls.	USPAT;	2002/11/11 17:17
	01	(database of NEART Cache of ARD 10114.0013.	EPO; JPO;	2002/11/11 17:17
			DERWENT;	
			IBM_TDB	
<u>-</u>	60	((database\$1 NEAR1 cache\$1) AND 707/\$.ccls.) NOT	USPAT;	2002/11/11 17:17
	00	((database\$1 NEAR1 cache\$1) AND (international AND	EPO; JPO;	2002, 11, 11 17.17
		business AND machine\$1).as.)	DERWENT;	
		Submode / 1145 mashino (1).do./	IBM_TDB	
_	206	database\$1 NEAR1 cache\$1	USPAT:	2002/11/11 17:34
	200	databassy i i iza ii i i aasiisy i	EPO; JPO;	2002, 1 11 1
			DERWENT;	
			IBM_TDB	
-	20	(joon AND hwang).xa.	USPAT;	2002/11/12 18:50
i		<b>G</b>	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	5	("5355497"   "5367671"   "5799318"   "5907837"	USPAT	2002/11/11 17:28
		"5978791").PN.		
-	86	(database\$1 NEAR1 cache\$1) AND (determin\$3 NEAR6	USPAT;	2002/11/11 17:35
		cache\$1)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	43	((database\$1 NEAR1 cache\$1) AND (determin\$3 NEAR6	USPAT;	2002/11/11 17:54
		cache\$1)) AND network\$3 AND remote\$2	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	22375	cache.ti,ab.	USPAT;	2002/11/11 17:54
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	971	cache.ti,ab. AND (international AND business AND	USPAT;	2002/11/11 17:57
		machine\$1).as.	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	77	(cache.ti,ab. AND (international AND business AND	USPAT;	2002/11/11 17:55
		machine\$1).as.) AND 707/\$.ccls.	EPO; JPO;	
			DERWENT;	
			IBM_TDB	!
-	151	cache.ti,ab. AND (microsoft\$1).as.	USPAT;	2002/11/11 17:57
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	

-	2	6356863.pn.	USPAT;	2002/11/12 16:47
	ļ		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	256	virtual NEAR2 file\$1 NEAR system\$1	USPAT;	2002/11/12 17:15
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
i -	305	virtual NEAR2 file\$1 NEAR2 system\$1	USPAT;	2002/11/12 16:54
		•	EPO; JPO;	
<b>'</b>			DERWENT;	
			IBM_TDB	
i -	118	(virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1	USPĀT;	2002/11/12 16:54
			EPO; JPO;	
	İ		DERWENT;	
			IBM TDB	
-	80	((virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1)	USPAT;	2002/11/12 16:54
	1	AND distributed!	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	76	(((virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1)	USPAT;	2002/11/12 16:57
	'3	AND distributed!) AND network\$1	EPO; JPO;	
		, and alouisatou.) And Hothority	DERWENT;	
			IBM TDB	
_	19	((((virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1)	USPAT;	2002/11/12 17:08
_	19	AND distributed!) AND network\$1) AND (load\$3 NEAR2	EPO; JPO;	2002/11/12 17.00
		balanc\$3)	DERWENT;	
	73	virtual NEAR2 file\$1 NEAR system\$1	IBM_TDB US-PGPUB	2002/44/42 47:00
-	i			2002/11/12 17:08
-	98	virtual NEAR2 file\$1 NEAR2 system\$1	US-PGPUB	2002/11/12 17:08
-	360	(virtual NEAR2 file\$1) NEAR4 system\$1	USPAT;	2002/11/12 18:26
			EPO; JPO;	
			DERWENT;	
	0.50	( '	IBM_TDB	
-	256	((virtual NEAR2 file\$1) NEAR4 system\$1) AND manage\$5	USPAT;	2002/11/12 17:16
			EPO; JPO;	
			DERWENT,	
			IBM_TDB	
-	20	(((virtual NEAR2 file\$1) NEAR4 system\$1) AND manage\$5)	USPAT;	2002/11/12 18:28
		AND (load\$3 NEAR2 balanc\$3)	EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	<b></b>
-	3	6081883.uref.	USPAT;	2002/11/12 18:22
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	13	("5163131"   "5355453"   "5537585"   "5561809"   "5802366"	USPAT	2002/11/12 18:24
		"5848293"   "5864554"   "5915094"   "5933603"   "5995708"		
		"6081883"   "6119150"   "6275953").PN.		
-	136	((virtual NEAR2 file\$1) NEAR4 system\$1).ti,ab.	USPAT;	2002/11/12 18:27
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	(((virtual NEAR2 file\$1) NEAR4 system\$1).ti,ab.) AND (load\$3	USPAT;	2002/11/12 18:28
	]	NEAR2 balanc\$3)	EPO; JPO;	
		·	DERWENT;	
			IBM_TDB	
_	6164	distribut\$4 NEAR6 ((file\$1 NEAR2 system\$1) OR database\$1)	USPAT;	2002/11/12 18:51
		,	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	419	(distribut\$4 NEAR6 ((file\$1 NEAR2 system\$1) OR	USPAT;	2002/11/12 18:52
		database\$1)) AND (parallel NEAR10 ((file\$1 NEAR2	EPO; JPO;	10.02
		system\$1) OR database\$1))	DERWENT;	
		, , , , , , , , , , , , , , , , , , ,	IBM_TDB	
		<u> </u>		

			IBM_TDB	
-	539	(((virtual NEAR3 file\$1) ) AND manage\$5) AND (distribut\$4)	USPAT;	2002/11/12 18:55
			EPO; JPO; DERWENT;	
,			IBM_TDB	
-	52	((((virtual NEAR3 file\$1) ) AND manage\$5) AND (distribut\$4))	USPAT;	2002/11/12 20:04
		AND (load\$3 NEAR4 balanc\$3)	EPO; JPO; DERWENT;	
			IBM_TDB	
-	14424	load\$3 NEAR2 balanc\$3	USPAT; EPO; JPO;	2002/11/12 19:37
			DERWENT;	
1:	5252	(load\$3 NEAR2 balanc\$3) AND distribut\$4	IBM_TDB USPAT;	2002/11/12 19:37
	3232	, course the man solution of the man solution	EPO; JPO;	
			DERWENT; IBM_TDB	
	476	((load\$3 NEAR2 balanc\$3) AND distribut\$4) AND (parallel	USPAT;	2002/11/12 19:38
		NEAR2 process\$3)	EPO; JPO; DERWENT;	
	118	(//load\$2 NEAD2 halano\$2\ AND distribut\$4\ AND (norallal	IBM_TDB	2002/44/42 40:29
-	110	(((load\$3 NEAR2 balanc\$3) AND distribut\$4) AND (parallel NEAR2 process\$3)) AND (distribut\$4 NEAR4 (file\$1 OR	USPAT; EPO; JPO;	2002/11/12 19:38
		database\$1))	DERWENT; IBM_TDB	
-	23958	(load\$3 NEAR4 (balanc\$3 OR distribut\$4)).ti,ab.	USPAT;	2002/11/12 20:05
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	17791	(load\$3 NEAR2 (balanc\$3 OR distribut\$4)).ti,ab.	USPAT; EPO; JPO;	2002/11/12 20:05
	•		DERWENT;	
-	5	((load\$3 NEAR2 (balanc\$3 OR distribut\$4)).ti,ab.) AND (virtual	IBM_TDB USPAT;	2002/11/12 20:08
		NEAR2 file\$1)	EPO; JPO;	
			DERWENT; IBM_TDB	
-	45	(virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR	USPAT; EPO; JPO;	2002/11/12 20:18
		distribu\$4))	DERWENT;	
	378	(virtual NEAR2 file\$1) AND ((storage\$1 OR database\$1)	IBM_TDB USPAT;	2002/11/12 20:18
	370	NEAR10 (client\$1 OR user\$1))	EPO; JPO;	2002/11/12 20.10
			DERWENT; IBM_TDB	
-	15	((virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR	USPAT;	2002/11/12 20:24
		distribu\$4))) AND mover\$1	EPO; JPO; DERWENT;	
			IBM_TDB	
1	10	((virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR distribu\$4))) AND bypass\$3	USPAT; EPO; JPO;	2002/11/12 20:24
-	 2		DERWENT;	
-				
-	1	(((virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR	IBM_TDB USPAT;	2002/11/12 20:24
-	1	(((virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR distribu\$4))) AND mover\$1) AND bypass\$3	USPAT; EPO; JPO; DERWENT;	2002/11/12 20:24

-	2	6324581.pn. AND mover\$1	USPAT;	2002/11/13 13:29
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	6324581.pn. AND multicast\$3	USPAT;	2002/11/13 13:28
		·	EPO; JPO;	,
•			DERWENT;	
			IBM_TDB	
<b>-</b>	1	(6324581.pn. AND mover\$1) AND updat\$3	USPAT;	2002/11/13 13:28
		, , , ,	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	6324581.pn. AND (mover\$1 NEAR8 updat\$3)	USPAT;	2002/11/13 13:31
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	2	6324581.pn. AND (mover\$1 NEAR8 metadata)	USPAT;	2002/11/13 13:34
	_	,	EPO; JPO;	
İ			DERWENT:	
			IBM_TDB	
_	1 1	6324581.pn. AND (mover\$1 NEAR10 metadata) AND	USPAT;	2002/11/13 15:20
	·	(mover\$1 NEAR10 (updat\$3 OR chang\$3))	EPO; JPO;	
		(motory) (the fit to (apadityo of toliangyo))	DERWENT;	
			IBM_TDB	
	44	(virtual NEAR4 file\$1) AND (multicast\$3 OR (multi ADJ1	USPAT;	2002/11/13 13:56
-	44			2002/11/13 13.30
		cast\$3))	EPO; JPO;	
			DERWENT;	
	١	// : 4 - 1 NITA D 4 51 - 042 AND /	IBM_TDB	000044404050
-	0	((virtual NEAR4 file\$1) AND (multicast\$3 OR (multi ADJ1	USPAT;	2002/11/13 13:53
		cast\$3))) AND (parralel NEAR4 process\$4)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	16	((virtual NEAR4 file\$1) AND (multicast\$3 OR (multi ADJ1	USPAT;	2002/11/13 13:54
		cast\$3))) AND (parallel NEAR4 process\$4)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	652	((multicast\$3 OR (multi ADJ1 cast\$3)) NEAR4 protocol\$1)	USPAT;	2002/11/13 13:57
			EPO; JPO;	
		·	DERWENT;	
8			IBM_TDB	
-	514	((multicast\$3 OR (multi ADJ1 cast\$3)) NEAR2 protocol\$1)	USPAT;	2002/11/13 13:57
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	37	(((multicast\$3 OR (multi ADJ1 cast\$3)) NEAR2 protocol\$1))	USPAT;	2002/11/13 13:58
		AND (parallel NEAR4 process\$4)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
<b>-</b>	1	6324581.pn. AND ((mover\$1 NEAR10 metadata) NEAR10	USPAT;	2002/11/13 14:08
		exchang\$3)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	6324581.pn. AND cach\$3	USPAT;	2002/11/13 15:23
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	6081883.pn. AND cach\$3	USPAT;	2002/11/13 15:29
		· ·	EPO; JPO;	
1			DERWENT;	
1			IBM_TDB	
-	2	5948062.pn. AND load\$3	USPAT;	2002/11/13 15:33
	_	<b>F</b>	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	6453323.pn.	USPAT;	2002/11/13 16:16
		<del></del>	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
		5:00:20 DM Page 4	.5	

-	8	("5469560"   "5692155"   "5758190"   "5768620"   "5813042"   "5968182"   "6088815"   "6304980").PN.	USPAT	2002/11/13 15:56
	0	6304980.pn. AND geographical\$2	USPAT; EPO; JPO; DERWENT;	2002/11/13 16:17
-	2	6442548.pn.	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/13 16:38
-	2	5937406.pn.	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/14 17:38
-	0	5937406.pn. AND cach\$3	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/13 18:00
-	1	5937406.pn. AND memor\$3	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/13 18:01
-	0	6304967.pn. AND translat\$4	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/14 10:50
-	3	6081883.uref.	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/14 11:17
-	1	6081883.uref. AND translat\$4	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/14 10:52
	13	   ("5163131"   "5355453"   "5537585"   "5561809"   "5802366"     "5848293"   "5864554"   "5915094"   "5933603"   "5995708"     "6081883"   "6119150"   "6275953").PN.	IBM_TDB USPAT	2002/11/14 11:15
-	172	(front ADJ1 end\$1) AND (back ADJ1 end\$1) AND network\$3 AND (file\$1 NEAR2 server\$1)	USPAT; EPO; JPO; DERWENT;	2002/11/14 11:36
-	161	((front ADJ1 end\$1) AND (back ADJ1 end\$1) AND network\$3 AND (file\$1 NEAR2 server\$1)) AND (distribut\$4)	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/14 11:18
-	108	(((front ADJ1 end\$1) AND (back ADJ1 end\$1) AND network\$3 AND (file\$1 NEAR2 server\$1)) AND (distribut\$4)) AND remot\$2	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/14 11:19
-	50	(((front ADJ1 end\$1) AND (back ADJ1 end\$1) AND network\$3 AND (file\$1 NEAR2 server\$1)) AND (distribut\$4)) AND (remot\$2 NEAR4 (site\$1 OR server\$1 OR database\$1 OR storage\$1))	IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 11:37
-	38	((((front ADJ1 end\$1) AND (back ADJ1 end\$1) AND network\$3 AND (file\$1 NEAR2 server\$1)) AND (distribut\$4)) AND (remot\$2 NEAR4 (site\$1 OR server\$1 OR database\$1	USPAT; EPO; JPO; DERWENT;	2002/11/14 11:20 <sup>-</sup>
-	. 12	OR storage\$1))) AND parallel ((((front ADJ1 end\$1) AND (back ADJ1 end\$1) AND network\$3 AND (file\$1 NEAR2 server\$1)) AND (distribut\$4)) AND (remot\$2 NEAR4 (site\$1 OR server\$1 OR database\$1 OR storage\$1))) NOT (((((front ADJ1 end\$1) AND (back ADJ1 end\$1) AND network\$3 AND (file\$1 NEAR2 server\$1)) AND (distribut\$4)) AND (remot\$2 NEAR4 (site\$1 OR server\$1 OR	IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 11:36
-	1105	database\$1 OR storage\$1))) AND parallel) multi ADJ1 tier\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 11:36
		5:09:30 DM Page 5		

-	12	(multi ADJ1 tier\$1) AND ((front ADJ1 end\$1) AND (back ADJ1 end\$1) AND network\$3 AND (file\$1 NEAR2 server\$1))	USPAT; EPO; JPO;	2002/11/14 11:36
		( ( )	DERWENT;	
			IBM_TDB	
-	29320	(remot\$2 NEAR4 (site\$1 OR server\$1 OR database\$1 OR	USPAT;	2002/11/14 11:37
		storage\$1))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	87	((remot\$2 NEAR4 (site\$1 OR server\$1 OR database\$1 OR	USPAT;	2002/11/14 11:38
		storage\$1))) AND (multi ADJ1 tier\$1)	EPO; JPO;	
			DERWENT;	
1	_ ا	5000455 nn AND kilografianti	IBM_TDB	000044444
-	1	5692155.pn. AND kilometer\$1	USPAT;	2002/11/14 12:25
			EPO; JPO;	
			DERWENT; IBM_TDB	
_	0	5692155.pn. AND search\$3	USPAT;	2002/11/14 12:25
-		3032 133.pn. AND Scarcings	EPO; JPO;	2002/11/14 12.23
			DERWENT;	
			IBM_TDB	
-	0	5692155.pn. AND mapping	USPAT;	2002/11/14 12:26
			EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	1
-	22	5692155.uref.	USPAT;	2002/11/14 17:47
			EPO; JPO;	
			DERWENT;	
		5000455 - 4 AND - 11 - 00	IBM_TDB	
-	17	5692155.uref. AND address\$2	USPAT;	2002/11/14 17:52
			EPO; JPO;	
			DERWENT;	
	48	(secondary NEAR2 device\$1) AND (in NEAR2 address\$2)	IBM_TDB	2002/11/14 17:53
-	40	(secondary NEAR2 device\$1) AND (ip NEAR2 address\$2)	USPAT;	2002/11/14 17:53
			EPO; JPO;   DERWENT;	
			IBM_TDB	
-	14	((secondary NEAR2 device\$1) AND (ip NEAR2 address\$2))	USPAT;	2002/11/14 18:03
	1	AND backup	EPO; JPO;	
[			DERWENT;	
			IBM_TDB	
-	3	(((secondary NEAR2 device\$1) AND (ip NEAR2 address\$2))	USPAT;	2002/11/14 18:23
		AND backup) AND (differen\$3 NEAR10 (ip NEAR2	EPO; JPO;	
		address\$2))	DERWENT;	
	_ :	///	IBM_TDB	
-	0	((((secondary NEAR2 device\$1) AND (ip NEAR2 address\$2))	USPAT;	2002/11/14 18:21
		AND backup) AND (differen\$3 NEAR10 (ip NEAR2	EPO; JPO;	
		address\$2))) AND search\$3	DERWENT;	
_	12223	search\$3 NEAR10 (backup OR second\$3)	IBM_TDB   USPAT;	2002/11/14 18:23
-	12223	Controlling INENTER (Deckup OIL Secondings)	EPO; JPO;	2002/11/1 <del>4</del> 10.23
			DERWENT;	
			IBM_TDB	
-	1748	(search\$3 NEAR4 (file\$1 OR data)) NEAR10 (backup OR	USPAT;	2002/11/14 18:24
		second\$3)	EPO; JPO;	
		•	DERWENT;	
			IBM_TDB	
-	149	(search\$3 NEAR4 (file\$1 OR data)) NEAR10 (backup OR	USPAT;	2002/11/14 19:26
		(second\$3 NEAR2 (storage\$1 OR device\$1)))	EPO; JPO;	
			DERWENT;	
		((accepted NEADA (Stada OD 1 1 1) NEADA (1 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	IBM_TDB	000044444
-	3	((search\$3 NEAR4 (file\$1 OR data)) NEAR10 (backup OR	USPAT;	2002/11/14 18:26
	1	(second\$3 NEAR2 (storage\$1 OR device\$1)))) AND ip	EPO; JPO;	
			DERWENT;	
<u> </u>	6	((search\$3 NEAR4 (file\$1 OR data)) NEAR10 (archiv\$3 OR	IBM_TDB USPAT:	2002/11/14 18:29
		(second\$3 NEAR2 (storage\$1 OR device\$1)))) AND ip	EPO; JPO;	2002/11/14 10.29 
		(2223	DERWENT;	
			IBM_TDB	
	0/07/04	5:08:39 PM Page 6		' <del></del>

-	191	(search\$3 NEAR4 (file\$1 OR data)) NEAR10 (archiv\$3 OR	USPAT;	2002/11/14 18:39
		(second\$3 NEAR2 (storage\$1 OR device\$1)))	EPO; JPO; DERWENT;	
_	76	707/204.ccls. AND (search\$3 NEAR4 file\$1)	IBM_TDB USPAT;	2002/11/14 18:47
		(333/31/40/12/41/11/41/11/41/11/41/11/41/11/41/11/41/11/41/11/41/11/41/4	EPO; JPO;	25527177115.17
			DERWENT; IBM_TDB	
-	1	(707/204.ccls. AND (search\$3 NEAR4 file\$1)) AND failover	USPAT;	2002/11/14 18:40
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	5804	(broadcast\$3 OR multicast\$3) NEAR8 (search\$3 OR request\$3)	USPAT; EPO; JPO;	2002/11/14 19:16
		1	DERWENT;	
_	49	(broadcast\$3 OR multicast\$3) NEAR8 (search\$3 NEAR4	IBM_TDB USPAT;	2002/11/14 19:16
		request\$3)	EPO; JPO;	
			DERWENT; IBM_TDB	
-	83	4914571.uref.	USPAT;	2002/11/14 19:10
			EPO; JPO; DERWENT;	
	_	1044574 ( AND ( 100 NEADO 51 04)	IBM_TDB	000044444
-	7	4914571.uref. AND (search\$3 NEAR2 file\$1)	USPAT; EPO; JPO;	2002/11/14 19:10
			DERWENT;	
-	. 2	5729736.uref.	IBM_TDB USPAT;	2002/11/14 19:15
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	6055	(broadcast\$3 OR multicast\$3) NEAR8 (search\$3 OR request\$3 OR quer\$3)	USPAT; EPO; JPO;	2002/11/14 19:16
		το φαιο το το φαιο φού	DERWENT;	
_	668	(multicast\$3) NEAR8 (search\$3 OR request\$3 OR quer\$3)	IBM_TDB   USPAT;	2002/11/14 19:21
		(	EPO; JPO;	
			DERWENT;	
-	29	((multicast\$3) NEAR8 (search\$3 OR request\$3 OR quer\$3))	USPAT;	2002/11/14 19:17
		AND 707/\$.ccls.	EPO; JPO; DERWENT;	
	238	((multicast\$3) NEAR8 (search\$3 OR request\$3 OR	IBM_TDB USPAT;	2002/11/14 20:14
_	230	quer\$3)).ti,ab.	EPO; JPO;	2002/11/14 20:14
			DERWENT; IBM_TDB	
-	5	(((multicast\$3) NEAR8 (search\$3 OR request\$3 OR	USPAT;	2002/11/14 19:22
		quer\$3)).ti,ab.) AND ((search\$3 OR quer\$4 OR request\$3) NEAR4 file\$1).ti,ab.	EPO; JPO; DERWENT;	
			IBM_TDB	
-	51	(((multicast\$3) NEAR8 (search\$3 OR request\$3 OR quer\$3)).ti,ab.) AND distributed	USPAT; EPO; JPO;	2002/11/14 19:27
		· · · · · · · · · · · · · · · · · · ·	DERWENT;	
-	7	(((multicast\$3) NEAR8 (search\$3 OR request\$3 OR	IBM_TDB USPAT;	2002/11/14 19:27
		quer\$3)).ti,ab.) AND ((search\$3 OR quer\$4 OR request\$3) NEAR4 (database\$1 OR storage\$1))	EPO; JPO; DERWENT;	
		• "	IBM_TDB	
-	5	("5390313"   "5463578"   "5819310"   "5832522"   "5892914").PN.	USPAT	2002/11/14 19:29
- '	95	((multicast\$3) NEAR8 (search\$3 OR request\$3 OR quer\$3))	USPAT;	2002/11/14 19:42
		AND ((search\$3 OR quer\$4 OR request\$3) NEAR4 (database\$1 OR storage\$1))	EPO; JPO;   DERWENT;	
		· · · · · · · · · · · · · · · · · · ·	IBM_TDB	

-	155	((search\$3 OR quer\$4 OR request\$3) NEAR6 (fail\$2))	USPAT;	2002/11/14 19:46
,		NEAR20 ((search\$3 OR quer\$4 OR request\$3) NEAR4	EPO; JPO;	
		(database\$1 OR storage\$1))	DERWENT;	
		5 1 7/	IBM_TDB	
	6	(((search\$3 OR quer\$4 OR request\$3) NEAR6 (fail\$2))	USPAT;	2002/11/14 19:47
		NEAR20 ((search\$3 OR quer\$4 OR request\$3) NEAR4	EPO; JPO;	2002/11/11/10:1/
		(database\$1 OR storage\$1))) AND (failover OR (fail ADJ1		
			DERWENT;	
		over))	IBM_TDB	
i -	83	4914571.uref.	USPAT;	2002/11/14 20:01
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	5729736.pn. AND multicast\$3	USPAT;	2002/11/14 20:14
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	l 0	5729736.uref. AND multicast\$3	USPAT;	2002/11/14 20:14
	.		EPO; JPO;	
			DERWENT;	1
	1		IBM TDB	
	29	(/multipoet\$3) NEARS (approb\$3 OR request\$3 OR muse\$3))		2002/11/14 20:16
-	29	((multicast\$3) NEAR8 (search\$3 OR request\$3 OR quer\$3))	USPAT;	2002/11/14 20:16
		NEAR10 (database\$1 OR storage\$1)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	30	((multicast\$3 OR (multi ADJ1 cast\$3)) NEAR8 (search\$3 OR	USPAT;	2002/11/14 20:18
		request\$3 OR quer\$3)) NEAR10 (database\$1 OR storage\$1)	EPO; JPO;	
			DERWENT;	
	· ·		IBM_TDB	
_	22	((multicast\$3 OR (multi ADJ1 cast\$3)) NEAR8 (search\$3 OR	USPAT;	2002/11/14 20:21
		request\$3 OR quer\$3)) NEAR20 ((multicast\$3 OR (multi ADJ1	EPO; JPO;	
		cast\$3)) NEAR10 (database\$1 OR storage\$1))	DERWENT:	
		Castoo) 1427 11110 (databaseof Cit storageof)	IBM_TDB	
	23	(search\$3 OR quer\$4 OR request\$3) NEAR10 file\$1 NEAR10	USPAT;	2002/11/14 20:25
-	23			2002/11/14 20.25
		(multicast\$3 OR (multi ADJ1 cast\$3))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	28	(search\$3 OR quer\$4 OR request\$3) NEAR10 (database\$1	USPAT;	2002/11/14 21:37
		OR storage\$1) NEAR10 (multicast\$3 OR (multi ADJ1 cast\$3))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	6	(((search\$3 OR quer\$4 OR request\$3) AND (database\$1 OR	USPAT;	2002/11/14 20:29
		storage\$1) AND (multicast\$3 OR (multi ADJ1 cast\$3))).ti,ab.)	EPO; JPO;	
		AND file\$1.ti,ab.	DERWENT;	
			IBM_TDB	
_	67	((search\$3 OR quer\$4 OR request\$3) AND (database\$1 OR	USPAT;	2002/11/14 20:30
	l	storage\$1) AND (multicast\$3 OR (multi ADJ1 cast\$3))).ti,ab.	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	10	(ip NEAR2 address\$2) NEAR10 different NEAR10 subnet	USPAT:	2002/11/14 21:05
-	'0	(ib iterate addresses) iscut to different iscut to subject		2002/11/14 21.00
			EPO; JPO;	
		i i	DERWENT;	
	.	5070507 AND Laver's AA	IBM_TDB	
-	1	5870537.pn. AND location\$1	USPAT;	2002/11/14 21:19
			EPO; JPO;	
			DERWENT;	
		•	IBM_TDB	
-	2	5870537.pn. AND address\$2	USPAT;	2002/11/14 21:33
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	("6256673" "5506984" "5870537" "5692155").pn. AND (point	USPAT;	2002/11/15 14:07
	1	NEAR8 protocol)	EPO; JPO;	2002/11/10 14:0/
			DERWENT;	
	ļ		•	
	_	(coarch\$3 OP quar\$4 OP request\$3) NEAD40 (detabase\$4	IBM_TDB	2002/44/44 04:00
-	5	(search\$3 OR quer\$4 OR request\$3) NEAR10 (database\$1	USPAT;	2002/11/14 21:38
		OR storage\$1) NEAR10 (point NEAR4 protocol)	EPO; JPO;	
			DERWENT;	
<u></u>	<u>L</u>	<u></u>	IBM_TDB	L
		5:00:20 DM Dogo 9		

-	3	(search\$3 OR quer\$4 OR request\$3) NEAR10 (database\$1	USPAT;	2002/11/14 21:38
		OR storage\$1) NEAR10 (point-to-point NEAR4 protocol)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	7	5857181.uref.	USPAT;	2002/11/16 15:30
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2329	(manag\$6 NEAR4 (receiver\$1 OR (receiv\$3 NEAR2	USPAT;	2002/11/16 15:32
		device\$1)))	EPO; JPO;	
1		, <i>m</i>	DERWENT;	
			IBM_TDB	
<u>-</u>	471	((manag\$6 NEAR4 (receiver\$1 OR (receiv\$3 NEAR2	USPAT;	2002/11/16 15:32
		device\$1))) ) AND broadcast\$3	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
l <u>-</u>	133	(manag\$6 NEAR4 (receiver\$1 OR (receiv\$3 NEAR2	USPAT;	2002/11/16 16:08
	100	device\$1))).ab,ti. AND broadcast\$3	EPO; JPO;	2002/11/10 10:00
		device 1///.ab,ti. / trab broadcastes	DERWENT;	
!			IBM_TDB	
1.	5	((manag\$6 NEAR4 (receiver\$1 OR (receiv\$3 NEAR2	USPAT;	2002/44/46 45:26
-	ا	((managso NEAR4 (receivers FOR (receivs 3 NEAR2   device\$1))).ab,ti. AND broadcast\$3) AND (manipulat\$4	EPO; JPO;	2002/11/16 15:36
'		NEAR4 (information OR data))	DERWENT;	
	70	(receivered OD (received NEAD) device #4\\ =6.41	IBM_TDB	2002/44/40 40:44
-	76	(receiver\$1 OR (receiv\$3 NEAR2 device\$1)).ab,ti. AND	USPAT;	2002/11/16 16:11
		broadcast\$3 AND (manipulat\$4 NEAR10 (instruction\$1 OR	EPO; JPO;	
,		command\$1))	DERWENT;	
			IBM_TDB	
-	18	(receiver\$1 OR (receiv\$3 NEAR2 device\$1)).ab,ti. AND	USPAT;	2002/11/16 16:15
		broadcast\$3 AND ((manipulat\$4 NEAR10 (instruction\$1 OR	EPO; JPO;	
		command\$1)) NEAR20 (receive\$1 OR receiving))	DERWENT;	
			IBM_TDB	
	23	(receiver\$1 OR (receiv\$3 NEAR2 device\$1)).ab,ti. AND	USPAT;	2002/11/16 16:17
]		broadcast\$3 AND ((manipulat\$4 NEAR10 (instruction\$1 OR	EPO; JPO;	
]		command\$1)) NEAR20 (transmit\$6))	DERWENT:	
			IBM_TDB	
-	147793	(broadcast\$3 OR transmit\$4 OR receiv\$3) NEAR8	USPAT;	2002/11/16 16:18
		(instruction\$1 OR command\$1)	EPO; JPO;	
		(	DERWENT;	
			IBM TDB	
-	54600	(broadcast\$3 OR transmit\$4 OR receiv\$3) NEAR8	USPAT;	2002/11/16 16:19
	0.000	(instruction\$1 OR command\$1) NEAR8 (information OR data)	EPO; JPO;	2002/11/10 10:10
		(monadon) or dominandon necessitation or data)	DERWENT;	
			IBM TDB	
	76598	(broadcast\$3 OR transmit\$4 OR receiv\$3) WITH	USPAT;	2002/11/16 16:19
-	70090	(instruction\$1 OR command\$1) WITH (information OR data)		2002/11/10 10:19
		(mandenona) On commanda) with (information OK data)	EPO; JPO;	
			DERWENT;	
	2040	/broadcoot\$2\\MITH /instruction\$4 OD	IBM_TDB	2002/44/40 42 55
-	2048	(broadcast\$3) WITH (instruction\$1 OR command\$1) WITH	USPAT;	2002/11/16 16:20
		(information OR data)	EPO; JPO;	,
			DERWENT;	
		(A - ) (A) NEADO (A - ) A - A - A - A - A - A - A - A - A	IBM_TDB	
-	197	(broadcast\$3) NEAR2 ((instruction\$1 OR command\$1) WITH	USPAT;	2002/11/16 16:20
			LEDO: IDO:	I
		(information OR data))	EPO; JPO;	
į		(information OR data))	DERWENT;	
			DERWENT; IBM_TDB	
-	212	(broadcast\$3) NEAR2 ((instruction\$1 OR command\$1)	DERWENT; IBM_TDB USPAT;	2002/11/16 16:21
-	212		DERWENT; IBM_TDB	2002/11/16 16:21
-	212	(broadcast\$3) NEAR2 ((instruction\$1 OR command\$1)	DERWENT; IBM_TDB USPAT;	2002/11/16 16:21
-	212	(broadcast\$3) NEAR2 ((instruction\$1 OR command\$1)	DERWENT; IBM_TDB USPAT; EPO; JPO;	2002/11/16 16:21
-	212 149	(broadcast\$3) NEAR2 ((instruction\$1 OR command\$1) NEAR2 (information OR data))	DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB	
-		(broadcast\$3) NEAR2 ((instruction\$1 OR command\$1) NEAR2 (information OR data))  (broadcast\$3) NEAR1 ((instruction\$1 OR command\$1)	DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT;	2002/11/16 16:21
-		(broadcast\$3) NEAR2 ((instruction\$1 OR command\$1) NEAR2 (information OR data))	DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO;	
-		(broadcast\$3) NEAR2 ((instruction\$1 OR command\$1) NEAR2 (information OR data))  (broadcast\$3) NEAR1 ((instruction\$1 OR command\$1)	DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT;	
-		(broadcast\$3) NEAR2 ((instruction\$1 OR command\$1) NEAR2 (information OR data))  (broadcast\$3) NEAR1 ((instruction\$1 OR command\$1) NEAR2 (information OR data))	DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/16 16:24
-	149	(broadcast\$3) NEAR2 ((instruction\$1 OR command\$1) NEAR2 (information OR data))  (broadcast\$3) NEAR1 ((instruction\$1 OR command\$1) NEAR2 (information OR data))  . (broadcast\$3) WITH ((instruction\$1 OR command\$1) WITH	DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB	
-	149	(broadcast\$3) NEAR2 ((instruction\$1 OR command\$1) NEAR2 (information OR data))  (broadcast\$3) NEAR1 ((instruction\$1 OR command\$1) NEAR2 (information OR data))	DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/16 16:24
-	149	(broadcast\$3) NEAR2 ((instruction\$1 OR command\$1) NEAR2 (information OR data))  (broadcast\$3) NEAR1 ((instruction\$1 OR command\$1) NEAR2 (information OR data))  . (broadcast\$3) WITH ((instruction\$1 OR command\$1) WITH	DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/16 16:24

C	1 14:37
- 7428 (distributed NEAR4 (database\$1 storage\$1))	
- 7428 (distributed NEAR4 (database\$1 storage\$1)) - 0 (((distributed NEAR4 (database\$1 storage\$1))) AND dosm	
- 7428 (distributed NEAR4 (database\$1 storage\$1))	
Company	
- 0 ((distributed NEAR4 (database\$1 storage\$1))) AND dosm USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO;	l 14:37
-	l 14:37
-   0   ((distributed NEAR4 (database\$1 storage\$1))) AND dosm   USPAT; EPO; JPO; DERWENT; IBM_TDB   US	1 14:37
- 374 ((distributed NEAR4 (database\$1 storage\$1))) AND (directory NEAR2 (server\$1 database\$1)) AND (directory NEAR2 (server\$1 database\$1)) AND (directory NEAR2 (server\$1 database\$1))) AND TO7/\$.ccls. DERWENT; IBM_TDB USPAT; EPO; JPO;	, 17.07
- 374 ((distributed NEAR4 (database\$1 storage\$1))) AND (directory NEAR2 (server\$1 database\$1)) - 154 (((distributed NEAR4 (database\$1 storage\$1))) AND (directory NEAR2 (server\$1 database\$1))) AND (directory NEAR2 (server\$1 database\$1))) AND (directory NEAR2 (server\$1 database\$1))) AND 707/\$.ccls 87 ((((distributed NEAR4 (database\$1 storage\$1))) AND USPAT: EPO; JPO; DERWENT; IBM TDB USPAT: EPO; JPO; DERWENT; IBM TDB USPAT: EPO; JPO; DERWENT; IBM TDB USPAT: EPO; JPO; DERWENT; IBM TDB USPAT: EPO; JPO; DERWENT; IBM TDB USPAT: EPO; JPO; DERWENT; IBM TDB USPAT: EPO; JPO; DERWENT; IBM TDB USPAT: EPO; JPO; DERWENT; IBM TDB USPAT; EPO; JPO; DERWENT;	
- 374 ((distributed NEAR4 (database\$1 storage\$1))) AND (directory NEAR2 (server\$1 database\$1)) - 154 (((distributed NEAR4 (database\$1 storage\$1))) AND (directory NEAR2 (server\$1 database\$1)) AND (directory NEAR2 (server\$1 database\$1))) AND (replica backup duplicate) - 2 ("6442548" "6081883" "6327614").pn. AND scalab\$8 USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IB	
374	
NEAR2 (server\$1 database\$1))	1 14:37
154   (((distributed NEAR4 (database\$1 storage\$1))) AND (directory NEAR2 (server\$1 database\$1))) AND 707/\$.ccls.   IBM_TDB USPAT; EPC; JPC; DERWENT; IBM_TDB USPAT; EPC; JPC;	
154   (((distributed NEAR4 (database\$1)) AND (directory NEAR2 (server\$1 database\$1))) AND (directory NEAR2 (server\$1 database\$1))) AND 707/\$.ccls.   EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TD	
NEAR2 (server\$1 database\$1))) AND 707/\$.ccls.   EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; AND (replica backup duplicate)   USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO	
- 87 ((((distributed NEAR4 (database\$1 storage\$1))) AND (directory NEAR2 (server\$1 database\$1))) AND 707/\$.ccls.) AND (replica backup duplicate)  - 2 ("6442548" "6081883" "6327614").pn. AND scalab\$8	l 15:15
B87	
S7	
Comparison of the property o	
AND (replica backup duplicate)  - 2 ("6442548" "6081883" "6327614").pn. AND scalab\$8  - 2 ("5692155" "5870537").pn. AND busy  - 0 (tri ADJ1 (replica backup duplicat\$3))  - 266 (three ADJ1 (replica backup duplicat\$3))  - 1 707/204.ccls. AND tri  - 3 707/204.ccls. AND (search\$3 NEAR2 (replica duplicat\$3))  DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB	€ 19:49
- 2 ("6442548" "6081883" "6327614").pn. AND scalab\$8	
- 2 ("6442548" "6081883" "6327614").pn. AND scalab\$8	
- 2 ("5692155" "5870537").pn. AND busy  - 0 (tri ADJ1 (replica backup duplicat\$3))  - 266 (three ADJ1 (replica backup duplicat\$3))  - 1 707/204.ccls. AND tri  - 3 707/204.ccls. AND (search\$3 NEAR2 (replica duplicat\$3))  EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB	
- 2 ("5692155" "5870537").pn. AND busy  - 0 (tri ADJ1 (replica backup duplicat\$3))  - 266 (three ADJ1 (replica backup duplicat\$3))  - 1 707/204.ccls. AND tri  - 3 707/204.ccls. AND (search\$3 NEAR2 (replica duplicat\$3))  DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB	¥ 17:17
- 2 ("5692155" "5870537").pn. AND busy  - 0 (tri ADJ1 (replica backup duplicat\$3))  - 266 (three ADJ1 (replica backup duplicat\$3))  - 1 707/204.ccls. AND tri  - 3 707/204.ccls. AND (search\$3 NEAR2 (replica duplicat\$3))    IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB	
- 2 ("5692155" "5870537").pn. AND busy  - 0 (tri ADJ1 (replica backup duplicat\$3))  - 266 (three ADJ1 (replica backup duplicat\$3))  - 266 (three ADJ1 (replica backup duplicat\$3))  - 1 707/204.ccls. AND tri  - 3 707/204.ccls. AND (search\$3 NEAR2 (replica duplicat\$3))	
EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB	3 17.20
- 0 (tri ADJ1 (replica backup duplicat\$3))  - 266 (three ADJ1 (replica backup duplicat\$3))  - 266 (three ADJ1 (replica backup duplicat\$3))  - 1 707/204.ccls. AND tri  - 3 707/204.ccls. AND (search\$3 NEAR2 (replica duplicat\$3))  DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB	3 17:30
- 0 (tri ADJ1 (replica backup duplicat\$3))  - 266 (three ADJ1 (replica backup duplicat\$3))  - 266 (three ADJ1 (replica backup duplicat\$3))  - 1 707/204.ccls. AND tri  - 3 707/204.ccls. AND (search\$3 NEAR2 (replica duplicat\$3))  - 3 707/204.ccls. AND (search\$3 NEAR2 (replica duplicat\$3))    IBM_TDB	
- 266 (three ADJ1 (replica backup duplicat\$3))  - 266 (three ADJ1 (replica backup duplicat\$3))  - 1 707/204.ccls. AND tri  - 3 707/204.ccls. AND (search\$3 NEAR2 (replica duplicat\$3))  USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB	
- 266 (three ADJ1 (replica backup duplicat\$3))  - 1 707/204.ccls. AND tri  - 3 707/204.ccls. AND (search\$3 NEAR2 (replica duplicat\$3))  EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB	3 17∙31
- 266 (three ADJ1 (replica backup duplicat\$3))  - 1 707/204.ccls. AND tri  - 3 707/204.ccls. AND (search\$3 NEAR2 (replica duplicat\$3))    DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; IBM_TDB	
- 266 (three ADJ1 (replica backup duplicat\$3))  - 1 707/204.ccls. AND tri  - 3 707/204.ccls. AND (search\$3 NEAR2 (replica duplicat\$3))    IBM_TDB   USPAT;   EPO; JPO;   DERWENT;   IBM_TDB   USPAT;   IBM_	
- 266 (three ADJ1 (replica backup duplicat\$3))  - 1 707/204.ccls. AND tri  - 3 707/204.ccls. AND (search\$3 NEAR2 (replica duplicat\$3))  USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB	
EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; IBM_TDB USPAT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB	3 17:31
- 1 707/204.ccls. AND tri DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; IBM_TDB USPAT; IBM_TDB USPAT; IBM_TDB USPAT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB	
- 1 707/204.ccls. AND tri USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB	
EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB	
- 3 707/204.ccls. AND (search\$3 NEAR2 (replica duplicat\$3))  DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB	3 17:33
- 3 707/204.ccls. AND (search\$3 NEAR2 (replica duplicat\$3)) IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB	
- 3 707/204.ccls. AND (search\$3 NEAR2 (replica duplicat\$3)) USPAT; 2003/08/06 EPO; JPO; DERWENT; IBM_TDB	
EPO; JPO; DERWENT; IBM_TDB	
DERWENT; IBM_TDB	o 17:32
IBM_TDB	
	17.22
- 500 707/204.ccis.	, 17.33
DERWENT;	
IBM_TDB	
- 6 707/204.ccls. AND mosher.in. USPAT; 2003/08/06	3 18∙∩⊿
EPO; JPO;	
DERWENT;	
IBM_TDB	
- 8 707/204.ccls. AND distributor\$1 USPAT; 2003/08/06	18:06
EPO; JPO;	
DERWENT;	
IBM_TDB	
- 223 707/204.ccls. AND (recovery) USPAT; 2003/08/06	3 18:07
EPO; JPO;	
DERWENT;	
IBM_TDB	
- 0 6360306.pn. AND redunden\$2 USPAT; 2003/08/07	
	' 15:49
EPO; JPO;	' 15:49
DERWENT;	' 15: <b>4</b> 9

-	1	6360306.pn. AND redund\$5	USPAT;	2003/08/07 15:52
			EPO; JPO; DERWENT;	
			IBM_TDB	
_	1	6553389.pn. AND redund\$5	USPAT;	2003/08/07 15:51
	•	Cooodoo.pn. 7145 redundoo	EPO; JPO;	2003/00/07 13.51
*	1		DERWENT;	
			IBM_TDB	
-	2	6360306.pn. AND multiple	USPAT;	2003/08/07 15:52
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	("6304980").pn.	USPAT;	2003/08/07 17:42
			EPO; JPO;	
			DERWENT;	
1	l .		IBM_TDB	
-	1	6081883.pn. AND (file NEAR1 name\$1)	USPAT;	2003/08/07 19:21
			EPO; JPO;	
			DERWENT;	
		COOLOGO ma AND (beenly in beenly in )	IBM_TDB	0000000074000
1 -	1	6081883.pn. AND (backup back-up)	USPAT;	2003/08/07 19:32
			EPO; JPO;	
			DERWENT;	
1_	2	6360306.pn. AND multiple	IBM_TDB   USPAT;	2003/08/07 19:35
l <sup>-</sup>		ossosoo.pn. Alab multiple	EPO; JPO;	2003/00/07 18.35
			DERWENT;	
			IBM_TDB	·
	1	6360306.pn. AND (multiple SAME performance\$1)	USPAT;	2003/08/07 19:35
		(manapie er unz perrennance)	EPO; JPO;	2000/00/01 10:00
			DERWENT;	,
			IBM_TDB	
-	1	6081883.pn. AND internet	USPAT;	2004/04/29 17:07
		·	EPO; JPO;	
			DERWENT,	
			IBM_TDB	
-	1	6081883.pn. AND name\$1	USPAT;	2004/04/29 17:31
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	6360306.pn. AND natur\$5	USPAT;	2004/04/29 19:12
			EPO; JPO;	
			DERWENT;	
_	1	6081883 pp. AND (select\$3 cho\$6)	IBM_TDB	2004/04/20 40:42
	'	6081883.pn. AND (select\$3 cho\$6)	USPAT; EPO; JPO;	2004/04/29 19:13
			DERWENT;	
			IBM_TDB	
-	1	6360306.pn. AND (select\$3 cho\$6)	USPAT;	2004/04/29 19:13
	·		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	dosm	USPAT;	2004/04/29 19:50
			EPO; JPO;	
			DERWENT;	[
			IBM_TDB	
-	15729	distribut\$4 NEAR4 storage\$1	USPAT;	2004/04/29 19:51
			EPO; JPO;	
			DERWENT;	
	204	(distributed NEADA states and AND ()	IBM_TDB	0004/04/00 45 5:
-	331	(distribut\$4 NEAR4 storage\$1) AND (storage\$1 NEAR4	USPAT;	2004/04/29 19:51
		port\$1)	EPO; JPO;	
			DERWENT;	
_	5	((distribut\$4 NEAR4 storage\$1) AND (storage\$1 NEAR4	IBM_TDB	2004/04/20 40:52
-		(distributor NEAR4 storages1) AND (storages1 NEAR4   port\$1)) AND (virtual NEAR2 file\$1 NEAR2 system\$1)	USPAT; EPO; JPO;	2004/04/29 19:53
		PONT - 111 ( ANTORI LATELLINE HIGH LATELLINE SASIGNIAL)	DERWENT;	
			IBM_TDB	
		5:08:30 PM Page 11	, 10,11_100	

-	48	(distribut\$4 NEAR4 storage\$1) AND (virtual NEAR2 file\$1	USPAT;	2004/04/29 19:56
		NEAR2 system\$1)	EPO; JPO;	
	•		DERWENT;	
			IBM_TDB	
-	1704	(distribut\$4 NEAR4 storage\$1) AND (707/\$.ccls. 709/\$.ccls.	USPAT;	2004/04/29 19:57
		711/\$.ccls.)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	651	((distribut\$4 NEAR4 storage\$1) AND (707/\$.ccls. 709/\$.ccls.	USPAT;	2004/04/29 19:58
		711/\$.ccls.)) AND (storage\$1 NEAR4 (controller\$1 mover\$1	EPO; JPO;	
		processor\$1))	DERWENT;	
			IBM_TDB	
-	119		USPAT;	2004/04/29 19:58
		711/\$.ccls.)) AND (storage\$1 NEAR4 (controller\$1 mover\$1	EPO; JPO;	
		processor\$1))) AND (load NEAR3 balanc\$3)	DERWENT;	
1	1		IBM TDB	